# SAFETY DATA SHEET



Issuing Date: 04-Mar-2015 Revision Date: 27-Oct-2015 Version 2.01

## 1. IDENTIFICATION

Product Name Wella Color Charm Permanent Gel Haircolor - 4N 411

Product ID: 95409984\_PROF\_NG

Product Type: Finished Product - Consumer (Retail) and Professional Use

Recommended use Personal Beauty Care Product

Manufacturer The Procter & Gamble Company

Sharon Woods Innovation Center 11510 Reed Hartman Highway

Cincinnati OH 45241 +1 513 626-2500

Procter & Gamble Inc. P.O. Box 355, Station A Toronto, ON M5W 1C5

Professional Products: 1-800-465-2945; Retail Products: 1-800-465-2945

E-mail Address pgsds.im@pg.com

**Emergency Telephone** Transportation (24 HR)

CHEMTREC - 1-800-424-9300 (U.S./ Canada) or 1-703-527-3887 Mexico toll free in country: 800-681-9531

## 2. HAZARD IDENTIFICATION

This product is classifed under 29CFR 1910.1200(d) and the Canadian Hazardous Products Regulation as follows:.

Acute toxicity - Oral Category 4
Skin corrosion/irritation Category 1
Subcategory Sub-category B
Eye Damage / Irritation Category 1
Skin sensitization Category 1
Signal Word DANGER

Hazard Statements Harmful if swallowed

Causes severe skin burns and eye damage

May cause an allergic skin reaction

Hazard pictograms



Precautionary Statements - Prevention

Wear protective gloves and protective clothing

Wear eye/face protection

Do not breathe dust/fume/gas/mist/vapors/spray

Wash hands thoroughly after handling

Avoid breathing dust/fume/gas/mist/vapors/spray

IF SWALLOWED: rinse mouth. Do NOT induce vomiting

**Precautionary Statements -**

Response

IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing

Revision Date: 27-Oct-2015

Immediately call a POISON CENTER or doctor/physician

IF ON SKIN: Wash with plenty of soap and water

If skin irritation or rash occurs: Get medical advice/attention

**Precautionary Statements -**

Storage

None

**Precautionary Statements -**

Disposal

None

Hazards not otherwise classified

(HNOC)

None

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

Ingredients are listed according to 29CFR 1910.1200 Appendix D and the Canadian Hazardous Products Regulation

Chemical Name	Synonyms	Trade Secret	CAS-No	Weight %
Poly(oxy-1,2-ethanediyl), alpha-undecyl-omega-hydroxy-, branched and linear	Poly(oxy-1,2-ethanediyl), alpha-undecyl-omega-hy droxy-, branched and linear	No	127036-24-2	20 - 25
Ammonia solution	Ammonia solution	No	1336-21-6	5 - 10
Isopropanol	Isopropanol	No	67-63-0	5 - 10
2-Methyl-p-phenylenediamine hemisulphate	2-Methyl-p-phenylenedia mine hemisulphate	No	615-50-9	1 - 5
1,3-Benzenediol, 2-methyl-	1,3-Benzenediol, 2-methyl-	No	608-25-3	0.1 - 1.0

## 4. FIRST AID MEASURES

### First aid measures for different exposure routes

Eye contact IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. Immediately call a POISON CENTER or

doctor/physician.

**Skin contact** IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin

with water/shower. If symptoms persist, call a physician. IF ON SKIN: Wash with plenty of

soap and water. If skin irritation or rash occurs: Get medical advice/attention.

Ingestion IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. Rinse mouth.

95409984\_PROF\_NG - Wella Color Charm Permanent Gel Haircolor - 4N 411

**Inhalation** IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing.

Immediately call a POISON CENTER or doctor/physician.

Most important symptoms/effects,

acute and delayed

Risk of serious damage to eyes. May cause burns. May cause sensitization by skin contact.

Revision Date: 27-Oct-2015

#### Indication of immediate medical attention and special treatment needed, if necessary

Notes to Physician Treat symptomatically.

## 5. FIRE-FIGHTING MEASURES

**Suitable extinguishing media** Water. Dry chemical. Alcohol-resistant foam.

Unsuitable Extinguishing Media None.

Special hazard None known.

Special protective equipment for

fire-fighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH

(approved or equivalent) and full protective gear.

Specific hazards arising from the

chemical

None.

## 6. ACCIDENTAL RELEASE MEASURES

#### Personal precautions, protective equipment and emergency procedures

Personal precautions Wear protective gloves/clothing and eye/face protection. Do not get in eyes, on skin, or on

clothing.

**Advice for emergency responders** Use personal protective equipment as required.

Environmental precautions Keep out of waterways

Do not discharge product into natural waters without pre-treatment or adequate dilution

#### Methods and materials for containment and cleaning up

**Methods for containment** Prevent product from entering drains. Prevent further leakage or spillage if safe to do so.

Absorb with earth, sand or other non-combustible material and transfer to containers for

later disposal.

Methods for cleaning up Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand,

earth, diatomaceous earth, vermiculite) and place in container for disposal according to

local / national regulations (see section 13).

## 7. HANDLING AND STORAGE

#### Precautions for safe handling

Advice on safe handling Keep container closed when not in use. Never return spills in original containers for re-use.

Use personal protective equipment as required. Keep out of the reach of children.

## Conditions for safe storage, including any incompatibilities

**Storage Conditions** Keep containers tightly closed in a dry, cool and well-ventilated place.

Incompatible products None known.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Revision Date: 27-Oct-2015

#### **Control parameters**

Exposure Guidelines

Chemical Name	CAS-No	ACGIH TLV	OSHA PEL	Mexico PEL
Isopropanol	67-63-0	STEL: 400 ppm TWA: 200 ppm	TWA: 400 ppm TWA: 980 mg/m³ (vacated) TWA: 400 ppm (vacated) TWA: 980 mg/m³ (vacated) STEL: 500 ppm (vacated) STEL: 1225 mg/m³	Mexico: TWA 400 ppm Mexico: TWA 980 mg/m³ Mexico: STEL 500 ppm Mexico: STEL 1225 mg/m³

Chemical Name	CAS-No	Alberta	Quebec	Ontario TWAEV	British Columbia
Isopropanol	67-63-0	TWA: 200 ppm TWA: 492 mg/m <sup>3</sup> STEL: 400 ppm STEL: 984 mg/m <sup>3</sup>	TWA: 400 ppm TWA: 985 mg/m <sup>3</sup> STEL: 500 ppm STEL: 1230 mg/m <sup>3</sup>	TWA: 200 ppm STEL: 400 ppm	TWA: 200 ppm STEL: 400 ppm

No relevant exposure guidelines for other ingredients

**Exposure controls** 

Engineering Measures No information available

Personal Protective Equipment

Eye Protection Manufacturing Sites:

Wear eye/face protection

Distribution, Workplace and Household Settings:

Requires Eye Protection

Hand Protection Manufacturing Sites:

Wear protective natural rubber, nitrile rubber, Neoprene™ or PVC gloves

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion

Distribution, Workplace and Household Settings:

Protective gloves

Skin and Body Protection Manufacturing Sites:

Wear protective gloves/clothing

Distribution, Workplace and Household Settings:

No special protective equipment required

Respiratory Protection Manufacturing Sites:

Do not breathe vapors, mist or gas

Distribution, Workplace and Household Settings:

No special protective equipment required

Hygiene measures Manufacturing Sites:

Wash hands thoroughly after handling

**Distribution, Workplace and Household Settings:** Do not eat, drink or smoke when using this product

## 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state Liquid

Appearanceopaque viscous gel yellowOdorammoniacal, PerfumeOdor thresholdNo information available

<u>Property</u> <u>Values</u> <u>Note</u>

<del>pH value</del> 9.0 - 12.0

Melting/freezing pointNo information availableBoiling point/boiling rangeNo information availableFlash pointNo information availableEvaporation rateNo information availableFlammability (solid, gas)No information available

Flammability Limits in Air

Upper flammability limit
Lower Flammability Limit
Vapor pressure
Vapor density
Relative density
Water solubility
Solubility in other solvents
Partition coefficient: n-octanol/waterNo information available
No information available
No information available
No information available
No information available

Autoignition temperature

No information available

No information available

No information available

Viscosity of Product No information available

VOC Content (%) Products comply with US state and federal regulations for VOC content in consumer

products.

## 10. STABILITY AND REACTIVITY

Revision Date: 27-Oct-2015

**Reactivity** None under normal use conditions.

**Stability** Stable under normal conditions.

Hazardous polymerization Hazardous polymerization does not occur.

**Hazardous Reactions**None under normal processing.

Conditions to Avoid None under normal processing.

Materials to avoid None in particular.

**Hazardous Decomposition Products** None under normal use.

## 11. TOXICOLOGICAL INFORMATION

**Product Information** 

Information on likely routes of exposure

**Inhalation** No known effect.

Skin contact May cause burns. Repeated or prolonged skin contact may cause allergic reactions with

susceptible persons. Symptoms may be delayed.

IngestionHarmful if swallowed.Eye contactAvoid contact with eyes.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Acute toxicity May be harmful if swallowed.

**Skin corrosion/irritation** Causes burns.

Serious eye damage/eye irritation Risk of serious damage to eyes.

**Skin sensitization** May cause sensitization by skin contact.

Respiratory sensitizationNo known effect.Germ cell mutagenicityNo known effect.Neurological EffectsNo known effect.Reproductive toxicityNo known effect.Developmental toxicityNo known effect.TeratogenicityNo known effect.

95409984\_PROF\_NG - Wella Color Charm Permanent Gel Haircolor - 4N 411

STOT - single exposure
STOT - repeated exposure
Target Organ Effects
Aspiration hazard
Carcinogenicity

No known effect.

#### **Component Information**

Chemical Name	CAS-No	LD50 Oral	LD50 Dermal	LC50 Inhalation
Isopropanol	67-63-0	5840 mg/kg bw (//OECD	12956 mg/kg bw (//OECD	> 24.578 mg/L air (//OECD
		401)	402)	403)
2-Methyl-p-phenylenediamine hemisulphate	615-50-9	102 mg/kg bw	-	1.77 mg/L air (QSAR)

## 12. ECOLOGICAL INFORMATION

#### **Ecotoxicity**

Hazardous to the Aquatic Environment.

Persistence and degradability No information available.

Bioaccumulative potential No information available.

**Mobility** No information available.

Other adverse effects No information available.

### 13. DISPOSAL CONSIDERATIONS

#### **Waste treatment**

Waste from Residues / Unused

**Products** 

Disposal should be in accordance with applicable regional, national and local laws and

Revision Date: 27-Oct-2015

regulations.

Contaminated packaging Disposal should be in accordance with applicable regional, national and local laws and

regulations.

California Hazardous Waste Codes 331

(non-household setting)

#### 14. TRANSPORT INFORMATION

**DOT** Not regulated

**Special Provisions** 8, 146, 173, 335, IB3, T4, TP1, TP29

**IMDG** 

UN Number UN3082

**UN Proper shipping name** Environmentally hazardous substance, liquid, n.o.s.

**Description** UN3082, Environmentally hazardous substance, liquid, n.o.s. (Poly(oxy-1,2-ethanediyl),

alpha-undecyl-omega-hydroxy-, branched and linear, Ammonia solution), 9, III, Ltd. Qty.

Transport hazard class(es)

Packing Group

Environmental Hazards Marine pollutant

Special precautions for user 274, 335 EmS-No F-A, S-F

IATA

UN no UN3082

**UN Proper shipping name** Environmentally hazardous substance, liquid, n.o.s.

**Description** UN3082, Environmentally hazardous substance, liquid, n.o.s. (Poly(oxy-1,2-ethanediyl),

alpha-undecyl-omega-hydroxy-, branched and linear, Ammonia solution), 9, III, Ltd. Qty.

Revision Date: 27-Oct-2015

Hazard Class 9
Packing Group III
ERG Code 9L
Special precautions for user A97, A158

## 15. REGULATORY INFORMATION

#### U.S. Federal Regulations

#### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372:

Chemical Name	CAS-No	SARA 313 - Threshold Values %
Isopropanol	67-63-0	1.0

#### **CERCLA**

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302):

Chemical Name	CAS-No	Hazardous Substances RQs	Extremely Hazardous Substances RQs	CERCLA/SARA 302 TPQ
Ammonia solution	1336-21-6	1000 lb	-	
Resorcinol	108-46-3	5000 lb	-	
Sodium hydroxide	1310-73-2	1000 lb	-	

#### Food and Drug Administration (FDA)

The product described in this Safety Data Sheet is regulated under the Federal Food, Drug, and Cosmetics Act and is safe to use as per directions on container, box or accompanying literature (where applicable)

#### Clean Air Act, Section 112 Hazardous Air Pollutants (HAPs) (see 40 CFR 61)

This product does not contain any substances regulated as hazardous air pollutants (HAPS) under Section 112 of the Clean Air Act Amendments of 1990.

#### **Clean Water Act**

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42):

Chemical Name	CAS-No	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Ammonia solution	1336-21-6	1000 lb	-	-	X
Resorcinol	108-46-3	5000 lb	-	-	Х
Sodium hydroxide	1310-73-2	1000 lb	-	-	X

#### **California Proposition 65**

This product is not subject to warning labeling under California Proposition 65.

## U.S. State Regulations (RTK)

Chemical Name	CAS-No	New Jersey
Ammonia solution	1336-21-6	X
Isopropanol	67-63-0	X

Chemical Name	CAS-No	Massachusetts
Ammonia solution	1336-21-6	X
Isopropanol	67-63-0	X

Chemical Name	CAS-No	Pennsylvania

9-Octadecenoic acid (9Z)-	112-80-1	X
Ammonia solution	1336-21-6	X
Isopropanol	67-63-0	X
Resorcinol	108-46-3	X
Sodium hydroxide	1310-73-2	X

Revision Date: 27-Oct-2015

Chemical Name	CAS-No	Rhode Island
Ammonia solution	1336-21-6	X

#### **International Inventories**

#### **United States**

Product is a personal care product and regulated under FDA.

#### Canada

This product is in compliance with CEPA for import by P&G.

#### Legend

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

**CEPA** - Canadian Environmental Protection Act

Perfumes contained with the products comply with appropriate IFRA guidance.

## **16. OTHER INFORMATION**

Issuing Date:04-Mar-2015Revision Date:27-Oct-2015Reason for revisionInitial Release.

#### **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of SDS**