SAFETY DATA SHEET



Issuing Date: 06-Mar-2015 Revision Date: 06-Mar-2015 Version 1

1. IDENTIFICATION

Product Name Clairol Professional Soy 4Plex liquicolor medium neutral brown

Product ID: 98858020_PROF_NG

Product Type: Finished Product - Professional Use Only

Recommended Use Personal Beauty Care Product

Synonyms Clairol Professional Soy 4Plex liquicolor dark neutral brown (98864857_PROF_NG)

Clairol Professional Liquicolor Permanente Light Neutral Blonde Permanent Haircolor Tint

(99314334_PROF_NG)

Clairol Professional SOY4PLEX Liquicolor Permanente 7N/87N (99314340_PROF_NG_Clairol Professional Soy 4Plex Liquicolor Permanente 6N/86N (99314344_PROF_NG) Clairol Professional Soy 4Plex Liquicolor Permanente 6G/74G (99314348_PROF_NG) Clairol Professional Soy 4Plex Liquicolor Permanente 5N/85N (99314351_PROF_NG) Clairol Professional Soy 4Plex Liquicolor Permanente 4NN Light Rich Neutral Brown

(99732089_PROF_NG)

Clairol Professional Soy 4Plex Liquicolor Permanente 5NN Lightest Rich Neutral Brown

(99732090_PROF_NG)

Clairol Professional Soy 4Plex Liquicolor Permanente 6NN Dark Rich Neutral Blonde

(99732091_PROF_NG)

Clairol Professional Soy 4Plex Liquicolor Permanente 7NN Medium Rich Neutral Blonde

(99732093_PROF_NG)

Clairol Professional Soy 4Plex Liquicolor Permanente 8NN Light Rich Neutral Blonde

(99732095_PROF_NG)

Manufacturer The Procter & Gamble Company

Sharon Woods Innovation Center 11510 Reed Hartman Highway

Cincinnati OH 45241 +1 513 626-2500

E-mail Address pgsds.im@pg.com

Emergency Telephone Transportation (24 HR)

CHEMTREC - 1-800-424-9300 (U.S./ Canada) or 1-703-527-3887 Mexico toll free in country: 800-681-9531

2. HAZARD IDENTIFICATION

This product is classifed under 29CFR 1910.1200(d) and the Canadian Hazardous Products Regulation as follows:.

Acute toxicity - OralCategory 4Skin corrosion/irritationCategory 1SubcategorySub-category BEye Damage / IrritationCategory 1Skin sensitizationCategory 1Flammable LiquidsCategory 3

medium neutral brown

DANGER Signal Word

Harmful if swallowed **Hazard Statements**

Causes severe skin burns and eye damage

May cause an allergic skin reaction

FLAMMABLE LIQUID AND VAPOR

Hazard pictograms



Precautionary Statements -Prevention

Keep container tightly closed

Keep away from heat/sparks/open flames/hot surfaces. — No smoking

Wear protective gloves and protective clothing

Wear eye/face protection

Do not breathe dust/fume/gas/mist/vapors/spray

Wash hands thoroughly after handling

Avoid breathing dust/fume/gas/mist/vapors/spray

IF SWALLOWED: rinse mouth. Do NOT induce vomiting

Precautionary Statements -

Response

In case of fire: Use water, CO2, dry chemical, or foam for extinction

IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing

Revision Date: 06-Mar-2015

Immediately call a POISON CENTER or doctor/physician

IF ON SKIN: Wash with plenty of soap and water

If skin irritation or rash occurs: Get medical advice/attention

Precautionary Statements -

Storage

None

Precautionary Statements -

Disposal

None

Hazards not otherwise classified

(HNOC)

None

3. COMPOSITION/INFORMATION ON INGREDIENTS

Ingredients are listed according to 29CFR 1910.1200 Appendix D and the Canadian Hazardous Products Regulation

Chemical Name	Synonyms	Trade Secret	CAS-No	Weight %
OLETH-2	=	No	9004-98-2	5 - 10
Propylene glycol	-	No	57-55-6	5 - 10
Isopropanol	-	No	67-63-0	5 - 10
Alcohols, C12-15, ethoxylated	-	No	68131-39-5	1 - 5
2-Aminoethanol	-	No	141-43-5	1 - 5
Ethoxydiglycol	=	No	111-90-0	1 - 5
Quaternary ammonium compounds, trimethylsoya alkyl, chlorides	-	No	61790-41-8	1 - 5
Ammonia solution	-	No	1336-21-6	1 - 5
Hexylene Glycol	-	No	107-41-5	1 - 5
p-Phenylene diamine	=	No	106-50-3	1 - 5
3H-Pyrazol-3-one, 2,4-dihydro-5-methyl-2-phenyl-	-	No	89-25-8	0.1 - 1.0

4. FIRST AID MEASURES

First aid measures for different exposure routes

Eye contact Rinse with plenty of water. Get medical attention immediately if irritation persists. IF IN

EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician.

Revision Date: 06-Mar-2015

Skin contact IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin

with water/shower. Get medical attention immediately if symptoms occur. If symptoms persist, call a physician. IF ON SKIN: Wash with plenty of soap and water. If skin irritation

or rash occurs: Get medical advice/attention.

Ingestion Drink 1 or 2 glasses of water. Do NOT induce vomiting. Get medical attention immediately if

symptoms occur. IF SWALLOWED: Immediately call a POISON CENTER or

doctor/physician. Rinse mouth.

Inhalation IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing.

Immediately call a POISON CENTER or doctor/physician.

Most important symptoms/effects,

acute and delayed

Risk of serious damage to eyes. May cause burns. May cause sensitization by skin contact.

Indication of immediate medical attention and special treatment needed, if necessary

Notes to Physician Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Flammable properties Flammable liquid and vapor

Suitable extinguishing media Dry chemical. Alcohol-resistant foam. Carbon dioxide (CO₂).

Unsuitable Extinguishing MediaDo not use a solid water stream as it may scatter and spread fire.

Special hazard Fumes may catch fire.

Special protective equipment for

fire-fighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH

(approved or equivalent) and full protective gear.

Specific hazards arising from the

chemical

None.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions Wear protective gloves/clothing and eye/face protection. Do not get in eyes, on skin, or on

clothing.

Advice for emergency responders Use personal protective equipment as required.

Environmental precautions Keep out of waterways. Do not discharge product into natural waters without pre-treatment

or adequate dilution.

Methods and materials for containment and cleaning up

Methods for containment Prevent product from entering drains. Prevent further leakage or spillage if safe to do so.

Absorb with earth, sand or other non-combustible material and transfer to containers for

Revision Date: 06-Mar-2015

later disposal.

Methods for cleaning up Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand,

earth, diatomaceous earth, vermiculite) and place in container for disposal according to

local / national regulations (see section 13).

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Keep container closed when not in use. Never return spills in original containers for re-use.

Use personal protective equipment as required. Keep out of the reach of children. Keep

away from open flames, hot surfaces and sources of ignition.

Conditions for safe storage, including any incompatibilities

Technical measures/Storage conditions

Keep away from open flames, hot surfaces and sources of ignition. Store away from other

materials.

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Store in a

cool/low-temperature, well-ventilated, dry place away from heat and ignition sources.

None known. Incompatible products

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines

Chemical Name	CAS-No	ACGIH TLV	OSHA PEL	Mexico PEL
Isopropanol	67-63-0	STEL: 400 ppm TWA: 200 ppm	TWA: 400 ppm TWA: 980 mg/m³ (vacated) TWA: 400 ppm (vacated) TWA: 980 mg/m³ (vacated) STEL: 500 ppm (vacated) STEL: 1225 mg/m³	Mexico: TWA 400 ppm Mexico: TWA 980 mg/m³ Mexico: STEL 500 ppm Mexico: STEL 1225 mg/m³
2-Aminoethanol	141-43-5	STEL: 6 ppm TWA: 3 ppm	TWA: 3 ppm TWA: 6 mg/m³ (vacated) TWA: 3 ppm (vacated) TWA: 8 mg/m³ (vacated) STEL: 6 ppm (vacated) STEL: 15 mg/m³	Mexico: TWA 3 ppm Mexico: TWA 8 mg/m³ Mexico: STEL 6 ppm Mexico: STEL 15 mg/m³
Hexylene Glycol	107-41-5	Ceiling: 25 ppm	(vacated) Ceiling: 25 ppm (vacated) Ceiling: 125 mg/m³	Mexico: Ceiling 25 ppm Mexico: Ceiling 125 mg/m³
p-Phenylene diamine	106-50-3	TWA: 0.1 mg/m ³	TWA: 0.1 mg/m³ (vacated) TWA: 0.1 mg/m³ (vacated) S* S*	Mexico: TWA 0.1 mg/m³

Chemical Name	CAS-No	Alberta	Quebec	Ontario TWAEV	British Columbia
Propylene glycol	57-55-6			TWA: 10 mg/m ³ TWA: 50 ppm TWA: 155 mg/m ³	
Isopropanol	67-63-0	TWA: 200 ppm TWA: 492 mg/m³ STEL: 400 ppm STEL: 984 mg/m³	TWA: 400 ppm TWA: 985 mg/m³ STEL: 500 ppm STEL: 1230 mg/m³	TWA: 200 ppm STEL: 400 ppm	TWA: 200 ppm STEL: 400 ppm
2-Aminoethanol	141-43-5	TWA: 3 ppm TWA: 7.5 mg/m ³ STEL: 6 ppm STEL: 15 mg/m ³	TWA: 3 ppm TWA: 7.5 mg/m³ STEL: 6 ppm STEL: 15 mg/m³	TWA: 3 ppm STEL: 6 ppm	TWA: 3 ppm STEL: 6 ppm
Ethoxydialycol	111-90-0			TWA: 30 ppm	

				TWA: 165 mg/m ³	
Hexylene Glycol	107-41-5	Ceiling: 25 ppm Ceiling: 121 mg/m ³	Ceiling: 25 ppm Ceiling: 121 mg/m ³	CEV: 25 ppm	Ceiling: 25 ppm
p-Phenylene diamine	106-50-3	TWA: 0.1 mg/m ³	TWA: 0.1 mg/m³ Skin	TWA: 0.1 mg/m ³	TWA: 0.1 mg/m ³ Sensitizer

No relevant exposure guidelines for other ingredients

Exposure controls

Engineering Measures Manufacturing Sites:

Ensure adequate ventilation

Distribution, Workplace and Household Settings:

Not applicable

Product Manufacturing Plant (needed at Product-Producing Plant ONLY):

Where reasonably practicable this should be achieved by the use of local exhaust

Revision Date: 06-Mar-2015

ventilation and good general extraction

Personal Protective Equipment

Eye Protection Product Manufacturing Plant (needed at Product-Producing Plant ONLY):

Use appropriate eye protection

Manufacturing Sites: Wear eye/face protection

Distribution, Workplace and Household Settings:

Requires Eye Protection

Hand Protection Product Manufacturing Plant (needed at Product-Producing Plant ONLY):

Protective gloves

Manufacturing Sites:

Wear protective natural rubber, nitrile rubber, Neoprene™ or PVC gloves

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion

Distribution, Workplace and Household Settings:

Protective gloves

Skin and Body Protection Wear protective gloves/clothing

Manufacturing Sites:

Distribution, Workplace and Household Settings:

No special protective equipment required

Respiratory Protection Product Manufacturing Plant (needed at Product-Producing Plant ONLY):

In case of insufficient ventilation wear suitable respiratory equipment

Manufacturing Sites:

Do not breathe vapors, mist or gas

Distribution, Workplace and Household Settings:

No special protective equipment required

Hygiene measures Manufacturing Sites:

Wash hands thoroughly after handling

Distribution, Workplace and Household Settings: Do not eat, drink or smoke when using this product

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State @20°C liquid

Appearance yellow orange brown

Odor ammoniacal

Odor threshold No information available

Property Values Note

pH value 9.0 - 12.0

Page 5/10

98858020_PROF_NG - Clairol Professional Soy 4Plex liquicolor medium neutral brown

Melting/freezing pointNo information availableBoiling point/boiling rangeNo information available

Flash point 32.8 °C / 91 °F Closed cup

Evaporation rate No information available Flammability (solid, gas) No information available

Flammability Limits in Air

Upper flammability limit
Lower Flammability Limit
Vapor pressure
Vapor density
Relative density
Water solubility
Solubility in other solvents

No information available

Partition coefficient: n-octanol/waterNo information available
Autoignition temperature
No information available
.
Decomposition temperature
No information available

Viscosity of Product No information available

VOC Content (%) Products comply with US state and federal regulations for VOC content in consumer

products.

10. STABILITY AND REACTIVITY

Revision Date: 06-Mar-2015

Reactivity None under normal use conditions.

Stability Stable under normal conditions.

Hazardous polymerization Hazardous polymerization does not occur.

Hazardous Reactions None under normal processing.

Conditions to Avoid Keep away from open flames, hot surfaces and sources of ignition.

Materials to avoid None in particular.

Hazardous Decomposition Products None under normal use.

11. TOXICOLOGICAL INFORMATION

Product Information

Information on likely routes of exposure

Inhalation No known effect.

Skin contact May cause burns. Repeated or prolonged skin contact may cause allergic reactions with

susceptible persons. Symptoms may be delayed.

IngestionHarmful if swallowed.Eye contactAvoid contact with eyes.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Acute toxicity May be harmful if swallowed.

Skin corrosion/irritation Causes burns.

Serious eye damage/eye irritation Risk of serious damage to eyes.

Skin sensitization May cause sensitization by skin contact.

Respiratory sensitization No known effect. Germ cell mutagenicity No known effect. **Neurological Effects** No known effect. Reproductive toxicity No known effect. No known effect. **Developmental toxicity Teratogenicity** No known effect. STOT - single exposure No known effect. STOT - repeated exposure No known effect.

98858020_PROF_NG - Clairol Professional Soy 4Plex liquicolor medium neutral brown

Target Organ Effects Aspiration hazard Carcinogenicity

No known effect. No known effect. No known effect.

Component Information

Chemical Name	CAS-No	LD50 Oral	LD50 Dermal	LC50 Inhalation
Propylene glycol	57-55-6	22000 mg/kg (rat)	2000 mg/kg (rabbit)	> 317.042 mg/L (Guideline not indicated; rabbit; 2 h)
Isopropanol	67-63-0	5840 mg/kg bw (Similar to OECD 401; standard acute method; rat)	13120 mg/kg bw (Similar to OECD 402; standard acute method; rabbit)	> 24.578732 mg/L air (Similar to OECD 403; standard acute method; rat; 6 h)
2-Aminoethanol	141-43-5	1089 mg/kg bw (Similar to OECD 401; standard acute method; rat)		-
Ethoxydiglycol	111-90-0	-	=	>0.025 mg/L (rat)
Ammonia solution	1336-21-6	350 mg/kg (Rat)	-	-
p-Phenylene diamine	106-50-3	-	> 7940 mg/kg bw (Guideline not indicated; rabbit)	-
3H-Pyrazol-3-one, 2,4-dihydro-5-methyl-2-phenyl-	89-25-8	1915 mg/kg (rat)	-	-

12. ECOLOGICAL INFORMATION

Ecotoxicity

Hazardous to the Aquatic Environment.

Persistence and degradability No information available.

Bioaccumulative potential No information available.

Mobility No information available.

Other adverse effects No information available.

13. DISPOSAL CONSIDERATIONS

Waste treatment

Waste from Residues / Unused

Products

Disposal should be in accordance with applicable regional, national and local laws and

Revision Date: 06-Mar-2015

regulations.

Contaminated packaging Disposal should be in accordance with applicable regional, national and local laws and

regulations.

California Hazardous Waste Codes 331

(non-household setting)

Disposal recommendations

Products covered by this MSDS, in their original form, when disposed from a commercial

facility as waste, are ignitable hazardous waste, D001, according to Federal RCRA

regulations(40 CFR 261). Disposal should be in accordance with Local, State and Federal

regulations.

14. TRANSPORT INFORMATION

DOT

UN no UN1993

UN Proper shipping name Flammable liquid, n.o.s

Description UN1993, Flammable liquid, n.o.s (Isopropanol, Limonene), 3, III, Ltd. Qty.

98858020_PROF_NG - Clairol Professional Soy 4Plex liquicolor

medium neutral brown

Hazard Class 3
Packing Group III

Marine pollutant This product contains a chemical which is listed as a marine pollutant according to DOT.

Revision Date: 06-Mar-2015

Emergency Response Guide 128

Number

<u>IMDG</u>

UN Number UN1993

UN Proper shipping name Flammable liquid, n.o.s.

Description UN1993, Flammable liquid, n.o.s. (Isopropanol, Limonene), 3, III, Ltd. Qty.

Transport hazard class(es) 3
Packing Group III

Environmental Hazards Environmentally Hazardous Substance/Marine Pollutant

EmS-No F-E, S-E

IATA

UN no UN1993

UN Proper shipping name Flammable liquid, n.o.s.

Description UN1993, Flammable liquid, n.o.s. (Isopropanol, Limonene), 3, III, Ltd. Qty.

Hazard Class 3
Packing Group III
ERG Code 3L

IATA comment Can also be shipped as ID8000 Consumer Commodity

15. REGULATORY INFORMATION

U.S. Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372:

Chemical Name	CAS-No	SARA 313 - Threshold Values %
Isopropanol	67-63-0	1.0
Ethoxydiglycol	111-90-0	1.0
Ammonia solution	1336-21-6	1.0
p-Phenylene diamine	106-50-3	1.0

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302):

Chemical Name	CAS-No	Hazardous Substances RQs	Extremely Hazardous Substances RQs	CERCLA/SARA 302 TPQ
Ammonia solution	1336-21-6	1000 lb	-	
p-Phenylene diamine	106-50-3	5000 lb	-	
Resorcinol	108-46-3	5000 lb	-	
Edetic acid	60-00-4	5000 lb	-	

Food and Drug Administration (FDA)

The product described in this Material Safety Data Sheet is regulated under the Federal Food, Drug, and Cosmetics Act and is safe to use as per directions on container, box or accompanying literature (where applicable)

Clean Air Act, Section 112 Hazardous Air Pollutants (HAPs) (see 40 CFR 61)

This product contains the following substance(s) which are either listed as hazardous air pollutants (HAPS) or VOC's per the Clean Air Act:

Chemical Name	CAS-No	CAA (Clean Air Act) - 1990 Hazardous Air Pollutants
Ethoxydiglycol	111-90-0	X
p-Phenylene diamine	106-50-3	X

Clean Water Act

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42):

Revision Date: 06-Mar-2015

Chemical Name	CAS-No	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Ammonia solution	1336-21-6	1000 lb	-	-	X
Resorcinol	108-46-3	5000 lb	-	-	Х
Edetic acid	60-00-4	5000 lb	-	-	Х

California Proposition 65

This product is not subject to warning labeling under California Proposition 65.

U.S. State Regulations (RTK)

Chemical Name	CAS-No	New Jersey
Propylene glycol	57-55-6	X
Isopropanol	67-63-0	X
2-Aminoethanol	141-43-5	X
Ethoxydiglycol	111-90-0	X
Ammonia solution	1336-21-6	X
Hexylene Glycol	107-41-5	X
p-Phenylene diamine	106-50-3	X

Chemical Name	CAS-No	Massachusetts
Isopropanol	67-63-0	X
2-Aminoethanol	141-43-5	X
Ammonia solution	1336-21-6	X
Hexylene Glycol	107-41-5	X
p-Phenylene diamine	106-50-3	X

Chemical Name	CAS-No	Pennsylvania
Propylene glycol	57-55-6	X
Isopropanol	67-63-0	X
2-Aminoethanol	141-43-5	X
Ethoxydiglycol	111-90-0	X
Ammonia solution	1336-21-6	X
Hexylene Glycol	107-41-5	X
p-Phenylene diamine	106-50-3	X
Resorcinol	108-46-3	X
Rosin	73138-82-6	X
Dipropylene glycol	25265-71-8	X
Benzaldehyde	100-52-7	X
Edetic acid	60-00-4	X

Chemical Name	CAS-No	Rhode Island
Ammonia solution	1336-21-6	X
p-Phenylene diamine	106-50-3	X

International Inventories

United States

Product is a personal care product and regulated under FDA.

Canada

This product is in compliance with CEPA for import by P&G.

<u>Legend</u> Page 9/10

98858020_PROF_NG - Clairol Professional Soy 4Plex liquicolor medium neutral brown

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

CEPA - Canadian Environmental Protection Act

Perfumes contained with the products comply with appropriate IFRA guidance.

16. OTHER INFORMATION

Revision Date: 06-Mar-2015

Issuing Date:06-Mar-2015Revision Date:06-Mar-2015Reason for revisionInitial Release.

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of SDS