SAFETY DATA SHEET



Issuing Date: 04-Mar-2015 Revision Date: 04-Mar-2015 Version 1

1. IDENTIFICATION

Product Name Wella Professionals Luxe Oil Light Oil Keratin Protection Spray

Product ID: 92373948_PROF_NG

Product Type: Finished Product - Professional Use Only

Recommended Use Personal Beauty Care Product

Manufacturer The Procter & Gamble Company

Sharon Woods Innovation Center 11510 Reed Hartman Highway

Cincinnati OH 45241 +1 513 626-2500

E-mail Address pgsds.im@pg.com

Emergency Telephone Transportation (24 HR)

CHEMTREC - 1-800-424-9300 (U.S./ Canada) or 1-703-527-3887 Mexico toll free in country: 800-681-9531

2. HAZARD IDENTIFICATION

This product is classifed under 29CFR 1910.1200(d) and the Canadian Hazardous Products Regulation as follows:.

Flammable aerosols Category 2

Signal Word WARNING

Hazard Statements

Flammable Aerosol

Hazard pictograms None

Trazard pictograms

Precautionary Statements -

Prevention

Pressurized container: Do not pierce or burn, even after use

Keep away from heat/sparks/open flames/hot surfaces. — No smoking

Do not spray on an open flame or other ignition source

Precautionary Statements -

Response

None

92373948_PROF_NG - Wella Professionals Luxe Oil Light Oil Keratin Protection Spray

Precautionary Statements -

Storage

Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F

Revision Date: 04-Mar-2015

Precautionary Statements -

Disposal

None

Hazards not otherwise classified

(HNOC)

None

3. COMPOSITION/INFORMATION ON INGREDIENTS

Ingredients are listed according to 29CFR 1910.1200 Appendix D and the Canadian Hazardous Products Regulation

| Chemical Name | Synonyms | Trade Secret | CAS-No | Weight % |
|-------------------------------------|----------|--------------|----------|-----------|
| Butane | - | No | 106-97-8 | 35 - 40 |
| Disiloxane, 1,1,1,3,3,3-hexamethyl- | = | No | 107-46-0 | 25 - 30 |
| Isobutane | - | No | 75-28-5 | 5 - 10 |
| Ethanol | - | No | 64-17-5 | 5 - 10 |
| Propane | - | No | 74-98-6 | 1 - 5 |
| Octamethylcyclotetrasiloxane | - | No | 556-67-2 | 0.1 - 1.0 |

4. FIRST AID MEASURES

First aid measures for different exposure routes

Eye contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get

medical attention immediately if irritation persists.

Skin contact None under normal use.

Ingestion Not an expected route of exposure. If swallowed:. Clean mouth with water and afterwards

drink plenty of water.

Inhalation Move to fresh air.

Most important symptoms/effects,

acute and delayed

No information available.

Indication of immediate medical attention and special treatment needed, if necessary

Notes to Physician Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Flammable properties Flammable Aerosol

surrounding environment.

Unsuitable Extinguishing Media None.

Special hazardContainers may explode when heated or if contaminated with water. Extremely flammable.

May form explosive mixtures with air.

Special protective equipment for

fire-fighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH

(approved or equivalent) and full protective gear.

Specific hazards arising from the chemical

Containers may explode when heated. Keep product and empty container away from heat and sources of ignition.

Revision Date: 04-Mar-2015

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions Avoid breathing vapors or mists.

Methods and materials for containment and cleaning up

Methods for containmentVentilate the area. Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Do not puncture or incinerate cans. ELIMINATE all ignition sources (no smoking, flares,

sparks or flames in immediate area). Contain spillage, and then collect with

non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Keep away from open flames, hot surfaces and sources of ignition. Keep out of the reach of

children. Observe label precautions. Avoid breathing vapors or mists.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place.

Incompatible products None known.

Aerosol Classification Level

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines

| Chemical Name | CAS-No | ACGIH TLV | OSHA PEL | Mexico PEL |
|---------------|----------|----------------|---|--|
| Butane | 106-97-8 | STEL: 1000 ppm | (vacated) TWA: 800 ppm (vacated) TWA: 1900 mg/m³ | Mexico: TWA 800 ppm Mexico: TWA 1900 mg/m³ |
| Isobutane | 75-28-5 | STEL: 1000 ppm | | |
| Ethanol | 64-17-5 | STEL: 1000 ppm | TWA: 1000 ppm TWA: 1900 mg/m³ (vacated) TWA: 1000 ppm (vacated) TWA: 1900 mg/m³ | Mexico: TWA 1000 ppm Mexico: TWA 1900 mg/m ³ |
| Propane | 74-98-6 | TWA: 1000 ppm | TWA: 1000 ppm TWA: 1800 mg/m³ (vacated) TWA: 1000 ppm (vacated) TWA: 1800 mg/m³ | |

| Chemical Name | CAS-No | Alberta | Quebec | Ontario TWAEV | British Columbia |
|---------------|----------|---------------|---|----------------------------|--------------------------------|
| Butane | 106-97-8 | TWA: 1000 ppm | TWA: 800 ppm TWA: 1900 mg/m ³ | TWA: 800 ppm TWA: 1000 ppm | TWA: 1000 ppm STEL: 750 ppm |
| Isobutane | 75-28-5 | | | TWA: 800 ppm TWA: 1000 ppm | TWA: 1000 ppm |

| Ethanol | 64-17-5 | TWA: 1000 ppm TWA: 1880 mg/m ³ | TWA: 1000 ppm TWA: 1880 mg/m ³ | STEL: 1000 ppm | STEL: 1000 ppm |
|---------|---------|--|--|----------------|----------------|
| Propane | 74-98-6 | TWA: 1000 ppm | TWA: 1000 ppm TWA: 1800 mg/m ³ | TWA: 1000 ppm | TWA: 1000 ppm |

Revision Date: 04-Mar-2015

No relevant exposure guidelines for other ingredients

Exposure controls

Engineering Measures No information available

Personal Protective Equipment

Eye Protection No special protective equipment required

Hand Protection No special protective equipment required

Skin and Body Protection No special protective equipment required

Respiratory Protection No special protective equipment required

Hygiene measures Avoid breathing vapors, mist or gas

When using, do not eat, drink or smoke

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State @20°C Aerosol

Appearance No information available

Odor characteristic

Odor threshold No information available

Property Values Note

pH value Not Applicable

Melting/freezing point
Boiling point/boiling range
Flash point
Evaporation rate
Flammability (solid, gas)

No information available
No information available
No information available
No information available

Flammability Limits in Air

Upper flammability limitNo information availableLower Flammability LimitNo information availableVapor pressureNo information availableVapor densityNo information available

Relative density 0.690 g/ml

Water solubility

Solubility in other solvents

Partition coefficient: n-octanol/water No information available
Autoignition temperature

No information available
No information available
No information available
No information available

Viscosity of Product No information available

VOC Content (%) Products comply with US state and federal regulations for VOC content in consumer

products.

10. STABILITY AND REACTIVITY

Reactivity None under normal use conditions.

Stability Stable under normal conditions.

Hazardous polymerization Hazardous polymerization does not occur.

Hazardous ReactionsNone under normal processing.

Conditions to Avoid Keep away from open flames, hot surfaces and sources of ignition. Extremes of

temperature and direct sunlight.

Materials to avoid None in particular.

Hazardous Decomposition Products None under normal use.

11. TOXICOLOGICAL INFORMATION

Revision Date: 04-Mar-2015

Product Information

Information on likely routes of exposure

Inhalation Intentional misuse by deliberately concentrating and inhaling contents may be harmful or

fatal.

Skin contactNo known effect.IngestionNo known effect.Eye contactNo known effect.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Acute toxicity No known effect. Skin corrosion/irritation No known effect. Serious eye damage/eye irritation No known effect. Skin sensitization No known effect. No known effect. Respiratory sensitization No known effect. Germ cell mutagenicity **Neurological Effects** No known effect. No known effect. Reproductive toxicity **Developmental toxicity** No known effect. No known effect. **Teratogenicity** STOT - single exposure No known effect. STOT - repeated exposure No known effect. **Target Organ Effects** No known effect. **Aspiration hazard** No known effect. Carcinogenicity No known effect.

Component Information

| Chemical Name | CAS-No | LD50 Oral | LD50 Dermal | LC50 Inhalation |
|-------------------------------------|----------|---|---|--|
| Butane | 106-97-8 | - | - | 520400 ppm (Read across data on Isobutane; guideline not indicated; mouse; 2 h) |
| Disiloxane, 1,1,1,3,3,3-hexamethyl- | 107-46-0 | >12160 mg/kg bw | > 2000 mg/kg bw (//OECD 402) | 106 mg/L (OECD 403) |
| Isobutane | 75-28-5 | - | - | 520400 ppm (Guideline not indicated; mouse; 2 h) |
| Propane | 74-98-6 | - | - | > 800000 ppm (Guideline not indicated; rat; 0.25 h) |
| Octamethylcyclotetrasiloxane | 556-67-2 | > 4800 mg/kg bw (Similar to OECD 401; standard acute method; rat) | > 2400 mg/kg bw (Similar to OECD 402; standard acute method; rat) | 36 mg/L air (OECD 403; standard acute method; rat; 4 h) |

12. ECOLOGICAL INFORMATION

Ecotoxicity

Hazardous to the Aquatic Environment.

Persistence and degradability

No information available.

Bioaccumulative potential

No information available.

Mobility No information available.

Other adverse effects No information available.

13. DISPOSAL CONSIDERATIONS

Waste treatment

Waste from Residues / Unused

Products

Aerosol cans, when disposed as waste, are regulated as D003 reactive hazardous waste in some States because of their potential to explode when heated. Check with your State environmental agency for guidance. Products covered by this MSDS, in their original form, when disposed as waste, are ignitable hazardous waste, D001, according to Federal RCRA

Revision Date: 04-Mar-2015

regulations(40 CFR 261).

Pressurized container: Do not pierce or burn, even after use. Empty containers may contain Contaminated packaging

flammable or explosive vapors.

California Hazardous Waste Codes 331

(non-household setting)

14. TRANSPORT INFORMATION

DOT

UN no UN1950 **UN Proper shipping name** Aerosols

Description UN1950, Aerosols, 2.1, Ltd. Qty.

Hazard Class 2.1 This product contains a chemical which is listed as a marine pollutant according to DOT.

Marine pollutant

Number

Emergency Response Guide 126

IMDG

UN Number UN1950 **UN Proper shipping name** Aerosols

Description UN1950, Aerosols, 2.1, MARINE POLLUTANT, Ltd. Qty.

Transport hazard class(es)

Environmental Hazards Environmentally Hazardous Substance/Marine Pollutant

EmS-No F-D, S-U

IATA

UN no UN1950

UN Proper shipping name Aerosols, flammable

Description UN1950, Aerosols, flammable, 2.1, Ltd. Qty.

Hazard Class 2.1 **ERG Code** 10L

IATA comment Can also be shipped as ID8000 Consumer Commodity

15. REGULATORY INFORMATION

U.S. Federal Regulations

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level

92373948_PROF_NG - Wella Professionals Luxe Oil Light Oil Keratin Protection Spray

pertaining to releases of this material

Food and Drug Administration (FDA)

The product described in this Material Safety Data Sheet is regulated under the Federal Food, Drug, and Cosmetics Act and is safe to use as per directions on container, box or accompanying literature (where applicable)

Revision Date: 04-Mar-2015

Clean Air Act, Section 112 Hazardous Air Pollutants (HAPs) (see 40 CFR 61)

This product does not contain any substances regulated as hazardous air pollutants (HAPS) under Section 112 of the Clean Air Act Amendments of 1990.

Clean Water Act

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

California Proposition 65

This product is not subject to warning labeling under California Proposition 65.

U.S. State Regulations (RTK)

| Chemical Name | CAS-No | New Jersey |
|---------------|----------|------------|
| Butane | 106-97-8 | X |
| Isobutane | 75-28-5 | X |
| Ethanol | 64-17-5 | X |
| Propane | 74-98-6 | X |

| Chemical Name | CAS-No | Massachusetts |
|---------------|----------|---------------|
| Butane | 106-97-8 | X |
| Isobutane | 75-28-5 | X |
| Ethanol | 64-17-5 | X |
| Propane | 74-98-6 | X |

| Chemical Name | CAS-No | Pennsylvania |
|---------------|----------|--------------|
| Butane | 106-97-8 | X |
| Isobutane | 75-28-5 | X |
| Ethanol | 64-17-5 | X |
| Propane | 74-98-6 | X |
| Pentane | 109-66-0 | X |
| Methane | 74-82-8 | X |
| Ethane | 74-84-0 | X |

International Inventories

United States

Product is a personal care product and regulated under FDA.

Canada

This product is in compliance with CEPA for import by P&G.

Legend

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

CEPA - Canadian Environmental Protection Act

Perfumes contained with the products comply with appropriate IFRA guidance.

16. OTHER INFORMATION

Issuing Date:04-Mar-2015Revision Date:04-Mar-2015Reason for revisionInitial Release.

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

Revision Date: 04-Mar-2015

End of SDS