SAFETY DATA SHEET



Issuing Date: 28-Sep-2015

Revision Date: 28-Sep-2015

Version 1

	1. IDENTIFICATION	
Product Name	Wella Professional EIMI BOOST BOUNCE, ELASTIC ENERGY MOUSSE	
Product ID:	96629489_PROF_NG	
Product Type:	Finished Product - Professional Use Only	
Recommended use	Personal Beauty Care Product	
Manufacturer	The Procter & Gamble Company Sharon Woods Innovation Center 11510 Reed Hartman Highway Cincinnati OH 45241 +1 513 626-2500 Procter & Gamble Inc. P.O. Box 355, Station A Toronto, ON M5W 1C5 Professional Products: 1-800-465-2945; Retail Products: 1-800-465-2945	
E-mail Address	pgsds.im@pg.com	
Emergency Telephone	Transportation (24 HR) CHEMTREC - 1-800-424-9300 (U.S./ Canada) or 1-703-527-3887 Mexico toll free in country: 800-681-9531	

2. HAZARD IDENTIFICATION

This product is classifed under 29CFR 1910.1200(d) and the Canadian Hazardous Products Regulation as follows:.

Flammable aerosols	Category 3
Signal Word	WARNING
Hazard pictograms	None
Precautionary Statements - Prevention	Pressurized container: Do not pierce or burn, even after use Keep away from heat/sparks/open flames/hot surfaces. — No smoking Do not spray on an open flame or other ignition source
Precautionary Statements - Response	None
Precautionary Statements - Storage	Protect from sunlight. Do not expose to temperatures exceeding 50 $^{\circ}\text{C}/122\ ^{\circ}\text{F}$
Precautionary Statements -	None

Disposal

Hazards not otherwise classified None (HNOC)

3. COMPOSITION/INFORMATION ON INGREDIENTS

Ingredients are listed according to 29CFR 1910.1200 Appendix D and the Canadian Hazardous Products Regulation

Chemical Name	Synonyms	Trade Secret	CAS-No	Weight %
Isobutane	Isobutane	No	75-28-5	1 - 5
Propane	Propane	No	74-98-6	1 - 5

4. FIRST AID MEASURES

First aid measures for different exposure routes

Eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get medical attention immediately if irritation persists.
Skin contact	None under normal use.
Ingestion	If swallowed:. Not an expected route of exposure. Clean mouth with water and afterwards drink plenty of water.
Inhalation	Move to fresh air.
Most important symptoms/effects, acute and delayed	No information available.

Indication of immediate medical attention and special treatment needed, if necessary

Notes to Physician

Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Flammable properties	Flammable Aerosol
Suitable extinguishing media	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Unsuitable Extinguishing Media	None.
Special hazard	Containers may explode when heated or if contaminated with water. Extremely flammable. May form explosive mixtures with air.
Special protective equipment for fire-fighters	As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.
Specific hazards arising from the chemical	Containers may explode when heated. Keep product and empty container away from heat and sources of ignition.

6. ACCIDENTAL RELEASE MEASURES

96629489_PROF_NG - Wella Professional EIMI BOOST BOUNCE, ELASTIC ENERGY MOUSSE

Personal precautions, protective equipment and emergency procedures

Personal precautions	Avoid breathing vapors or mists.		
Advice for emergency responders	Use personal protective equipment as required.		
Methods and materials for containn	nent and cleaning up		
Methods for containment	Ventilate the area. Prevent further leakage or spillage if safe to do so.		
Methods for cleaning up	Do not puncture or incinerate cans. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).		
7. HANDLING AND STORAGE			
Precautions for safe handling			
Advice on safe handling	Keep away from open flames, hot surfaces and sources of ignition. Keep out of the reach of children. Observe label precautions. Avoid breathing vapors or mists.		
Conditions for safe storage, includi	ing any incompatibilities		
Storage Conditions	Keep containers tightly closed in a dry, cool and well-ventilated place.		
Incompatible products	None known.		
Aerosol Classification Level	1		

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines

Chemical Name	CAS-No	ACGIH TLV	OSHA PEL	Mexico PEL
Isobutane	75-28-5	STEL: 1000 ppm		
Propane	74-98-6	: See Appendix F: Minimal Oxygen Content	TWA: 1000 ppm TWA: 1800 mg/m ³ (vacated) TWA: 1000 ppm (vacated) TWA: 1800 mg/m ³	

Chemical Name	CAS-No	Alberta	Quebec	Ontario TWAEV	British Columbia
Isobutane	75-28-5			TWA: 800 ppm TWA: 1000 ppm STEL: 1000 ppm	TWA: 1000 ppm
Propane	74-98-6	TWA: 1000 ppm	TWA: 1000 ppm TWA: 1800 mg/m ³	TWA: TWA: 1000 ppm	TWA: 1000 ppm

No relevant exposure guidelines for other ingredients

Exposure controls

Engineering Measures

No information available

Personal Protective Equipment

Eye Protection	No special protective equipment required
Hand Protection	No special protective equipment required

.

Skin and Body Protection No special protective equipment required

Respiratory Protection	No special protective equipment required	
Hygiene measures	Avoid breathing vapors, mist or gas When using, do not eat, drink or smoke	
	9. PHYSICAL AND CHEMICAL PRO	PERTIES
Physical State @20°C Appearance Odor Odor threshold	Aerosol white Foam Perfume No information available	
<u>Property</u> pH value Melting/freezing point Boiling point/boiling range Flash point Evaporation rate Flammability (solid, gas)	<u>Values</u> 3.7 - 4.7 No information available No information available Aerosol - Not Applicable No information available No information available	<u>Note</u>
Flammability Limits in Air Upper flammability limit Lower Flammability Limit Vapor pressure Vapor density Relative density	No information available No information available No information available No information available 0.001 g/ml	
Water solubility Solubility in other solvents Partition coefficient: n-octanol/wa Autoignition temperature	No information available No information available terNo information available No information available	
Decomposition temperature Viscosity of Product Oxidizing properties VOC Content (%)	No information available No information available Not applicable. Products comply with US state and federal products	regulations for VOC content in consumer

10. STABILITY AND REACTIVITY

Reactivity	None under normal use conditions.
Stability	Stable under normal conditions.
Hazardous polymerization	Hazardous polymerization does not occur.
Hazardous Reactions	None under normal processing.
Conditions to Avoid	Keep away from open flames, hot surfaces and sources of ignition. Extremes of temperature and direct sunlight.
Materials to avoid	None in particular.

Hazardous Decomposition Products None under normal use.

products.

11. TOXICOLOGICAL INFORMATION

Product Information

Information on likely routes of exposure

Inhalation

Ingestion

Skin contact

Intentional misuse by deliberately concentrating and inhaling contents may be harmful or fatal. No known effect. No known effect. 96629489_PROF_NG - Wella Professional EIMI BOOST BOUNCE, ELASTIC ENERGY MOUSSE

Eye contact

No known effect.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Acute toxicity	No known effect.
Skin corrosion/irritation	No known effect.
Serious eye damage/eye irritation	No known effect.
Skin sensitization	No known effect.
Respiratory sensitization	No known effect.
Germ cell mutagenicity	No known effect.
Neurological Effects	No known effect.
Reproductive toxicity	No known effect.
Developmental toxicity	No known effect.
Teratogenicity	No known effect.
STOT - single exposure	No known effect.
STOT - repeated exposure	No known effect.
Target Organ Effects	No known effect.
Aspiration hazard	No known effect.
Carcinogenicity	No known effect.

Component Information

Chemical Name	CAS-No	LD50 Oral	LD50 Dermal	LC50 Inhalation
Isobutane	75-28-5	-	-	520400 ppm
Propane	74-98-6	-	-	> 800000 ppm

12. ECOLOGICAL INFORMATION

Ecotoxicity

The product is not expected to be hazardous to the environment.

Persistence and degradability	No information available.
Bioaccumulative potential	No information available.
Mobility	No information available.
Other adverse effects	No information available.

13. DISPOSAL CONSIDERATIONS

Waste treatment

Waste from Residues / Unused Products	Aerosol cans, when disposed as waste, are regulated as D003 reactive hazardous waste in some States because of their potential to explode when heated. Check with your State environmental agency for guidance. Products covered by this MSDS, in their original form, when disposed as waste, are ignitable hazardous waste, D001, according to Federal RCRA regulations(40 CFR 261).
Contaminated packaging	Pressurized container: Do not pierce or burn, even after use. Empty containers may contain flammable or explosive vapors.
California Hazardous Waste Codes (non-household setting)	331

14. TRANSPORT INFORMATION

DOT UN no UN Proper shipping name

UN1950 Aerosols

Description Hazard Class Special Provisions Emergency Response Guide Number	UN1950, Aerosols, , 2.1 , Ltd. Qty. 2.1 N82 126
IMDG UN Number UN Proper shipping name Description Transport hazard class(es) Special precautions for user EmS-No	UN1950 Aerosols UN1950, Aerosols, , 2 , Ltd. Qty. 2 63,190, 277, 327, 344, 959 F-D, S-U
IATA UN no UN Proper shipping name Description Hazard Class ERG Code Special precautions for user IATA comment	UN1950 Aerosols, flammable UN1950, Aerosols, flammable, 2.1 , Ltd. Qty. 2.1 10L A145, A167, A802 Can also be shipped as ID8000 Consumer Commodity

15. REGULATORY INFORMATION

U.S. Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302):

Chemical Name	CAS-No	Hazardous Substances RQs	Extremely Hazardous Substances RQs	CERCLA/SARA 302 TPQ
Hydrogen peroxide solution	7722-84-1	-	1000 lb	1000 lb

Food and Drug Administration (FDA)

The product described in this Safety Data Sheet is regulated under the Federal Food, Drug, and Cosmetics Act and is safe to use as per directions on container, box or accompanying literature (where applicable)

Clean Air Act, Section 112 Hazardous Air Pollutants (HAPs) (see 40 CFR 61)

This product contains the following substance(s) which are either listed as hazardous air pollutants (HAPS) or VOC's per the Clean Air Act:

Chemical Name	CAS-No	CAA (Clean Air Act) - 1990 Hazardous Air Pollutants
Phenoxyethanol	122-99-6	Х

Clean Water Act

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

California Proposition 65

This product is not subject to warning labeling under California Proposition 65.

U.S. State Regulations (RTK)

Chemical Name	CAS-No	New Jersey
Isobutane	75-28-5	Х
Propane	74-98-6	Х

Chemical Name	CAS-No	Massachusetts
Isobutane	75-28-5	Х
Propane	74-98-6	Х

Chemical Name	CAS-No	Pennsylvania
Isobutane	75-28-5	Х
Propane	74-98-6	Х
Phenoxyethanol	122-99-6	Х

International Inventories

United States

Product is a personal care product and regulated under FDA.

Canada

This product is in compliance with CEPA for import by P&G.

Legend

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory **CEPA** - Canadian Environmental Protection Act

Perfumes contained with the products comply with appropriate IFRA guidance.

16. OTHER INFORMATION

Issuing Date:	28-Sep-2015
Revision Date:	28-Sep-2015
D' L'	

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of SDS