## SAFETY DATA SHEET



Issuing Date: 27-Mar-2015 Revision Date: 27-Mar-2015 Version 1.01

1. IDENTIFICATION

Product Name Clairol Professional Flare Permanent Cream (CRÈME PERMANENTE) Light Neutral

Blonde

**Product ID:** 96356487\_PROF\_NG

**Product Type:** Finished Product - Professional Use Only

Recommended Use Personal Beauty Care Product

Synonyms Clairol Professional Flare Permanent Cream (CRÈME PERMANENTE) Lightest Neutral

Blonde (96644280\_PROF\_NG)

Manufacturer The Procter & Gamble Company

Sharon Woods Innovation Center 11510 Reed Hartman Highway

Cincinnati OH 45241 +1 513 626-2500

E-mail Address pgsds.im@pg.com

Emergency Telephone Transportation (24 HR)

CHEMTREC - 1-800-424-9300 (U.S./ Canada) or 1-703-527-3887 Mexico toll free in country: 800-681-9531

## 2. HAZARD IDENTIFICATION

This product is classifed under 29CFR 1910.1200(d) and the Canadian Hazardous Products Regulation as follows:.

Acute toxicity - Oral Category 4
Skin corrosion/irritation Category 1
Subcategory Sub-category B
Eye Damage / Irritation Category 1
Skin sensitization Category 1
Signal Word DANGER

Hazard Statements Harmful if swallowed

Causes severe skin burns and eye damage

May cause an allergic skin reaction

**Hazard pictograms** 



Precautionary Statements - Prevention

Wear protective gloves and protective clothing

Wear eye/face protection

Do not breathe dust/fume/gas/mist/vapors/spray

Wash hands thoroughly after handling

Avoid breathing dust/fume/gas/mist/vapors/spray

IF SWALLOWED: rinse mouth. Do NOT induce vomiting

**Precautionary Statements -**

Response

IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing

Revision Date: 27-Mar-2015

Immediately call a POISON CENTER or doctor/physician

IF ON SKIN: Wash with plenty of soap and water

If skin irritation or rash occurs: Get medical advice/attention

**Precautionary Statements -**

Storage

None

**Precautionary Statements -**

**Disposal** 

None

Hazards not otherwise classified

(HNOC)

None

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

Ingredients are listed according to 29CFR 1910.1200 Appendix D and the Canadian Hazardous Products Regulation

Chemical Name	Synonyms	Trade Secret	CAS-No	Weight %
OLETH-2	-	No	9004-98-2	5 - 10
Propylene glycol	-	No	57-55-6	5 - 10
Alcohols, C12-15, ethoxylated	=	No	68131-39-5	1 - 5
Ammonia solution	-	No	1336-21-6	1 - 5
Isopropanol	-	No	67-63-0	1 - 5
Quaternary ammonium compounds, trimethylsoya alkyl, chlorides	-	No	61790-41-8	1 - 5
2-Aminoethanol	-	No	141-43-5	1 - 5
3H-Pyrazol-3-one, 2,4-dihydro-5-methyl-2-phenyl-	-	No	89-25-8	0.1 - 1.0

## 4. FIRST AID MEASURES

#### First aid measures for different exposure routes

Eye contact IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. Immediately call a POISON CENTER or

doctor/physician.

**Skin contact** IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin

with water/shower. If symptoms persist, call a physician. IF ON SKIN: Wash with plenty of

soap and water. If skin irritation or rash occurs: Get medical advice/attention.

Ingestion IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. Rinse mouth.

**Inhalation** IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing.

Immediately call a POISON CENTER or doctor/physician.

Most important symptoms/effects,

acute and delayed

Risk of serious damage to eyes. May cause burns. May cause sensitization by skin contact.

Revision Date: 27-Mar-2015

#### Indication of immediate medical attention and special treatment needed, if necessary

Notes to Physician Treat symptomatically.

## 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media Water. Dry chemical. Alcohol-resistant foam.

Unsuitable Extinguishing Media None.

Special hazard None known.

Special protective equipment for

fire-fighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH

(approved or equivalent) and full protective gear.

Specific hazards arising from the

chemical

None.

## 6. ACCIDENTAL RELEASE MEASURES

#### Personal precautions, protective equipment and emergency procedures

Personal precautions Wear protective gloves/clothing and eye/face protection. Do not get in eyes, on skin, or on

clothing.

**Advice for emergency responders** Use personal protective equipment as required.

Environmental precautions Keep out of waterways. Do not discharge product into natural waters without pre-treatment

or adequate dilution.

#### Methods and materials for containment and cleaning up

**Methods for containment** Prevent product from entering drains. Prevent further leakage or spillage if safe to do so.

Absorb with earth, sand or other non-combustible material and transfer to containers for

later disposal.

Methods for cleaning up Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand,

earth, diatomaceous earth, vermiculite) and place in container for disposal according to

local / national regulations (see section 13).

## 7. HANDLING AND STORAGE

#### Precautions for safe handling

Advice on safe handling Keep container closed when not in use. Never return spills in original containers for re-use.

Use personal protective equipment as required. Keep out of the reach of children.

## Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place.

Incompatible products None known.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Revision Date: 27-Mar-2015

#### **Control parameters**

Exposure Guidelines

Chemical Name	CAS-No	ACGIH TLV	OSHA PEL	Mexico PEL
Isopropanol	67-63-0	STEL: 400 ppm	TWA: 400 ppm	Mexico: TWA 400 ppm
		TWA: 200 ppm	TWA: 980 mg/m <sup>3</sup>	Mexico: TWA 980 mg/m <sup>3</sup>
			(vacated) TWA: 400 ppm	Mexico: STEL 500 ppm
			(vacated) TWA: 980 mg/m <sup>3</sup>	Mexico: STEL 1225 mg/m <sup>3</sup>
			(vacated) STEL: 500 ppm	
			(vacated) STEL: 1225	
			mg/m³	
2-Aminoethanol	141-43-5	STEL: 6 ppm	TWA: 3 ppm	Mexico: TWA 3 ppm
		TWA: 3 ppm	TWA: 6 mg/m <sup>3</sup>	Mexico: TWA 8 mg/m <sup>3</sup>
			(vacated) TWA: 3 ppm	Mexico: STEL 6 ppm
			(vacated) TWA: 8 mg/m <sup>3</sup>	Mexico: STEL 15 mg/m <sup>3</sup>
			(vacated) STEL: 6 ppm	
			(vacated) STEL: 15 mg/m <sup>3</sup>	

Chemical Name	CAS-No	Alberta	Quebec	Ontario TWAEV	British Columbia
Propylene glycol	57-55-6			TWA: 10 mg/m <sup>3</sup> TWA: 50 ppm TWA: 155 mg/m <sup>3</sup>	
Isopropanol	67-63-0	TWA: 200 ppm TWA: 492 mg/m³ STEL: 400 ppm STEL: 984 mg/m³	TWA: 400 ppm TWA: 985 mg/m³ STEL: 500 ppm STEL: 1230 mg/m³	TWA: 200 ppm STEL: 400 ppm	TWA: 200 ppm STEL: 400 ppm
2-Aminoethanol	141-43-5	TWA: 3 ppm TWA: 7.5 mg/m³ STEL: 6 ppm STEL: 15 mg/m³	TWA: 3 ppm TWA: 7.5 mg/m³ STEL: 6 ppm STEL: 15 mg/m³	TWA: 3 ppm STEL: 6 ppm	TWA: 3 ppm STEL: 6 ppm

No relevant exposure guidelines for other ingredients

**Exposure controls** 

Engineering Measures No information available

**Personal Protective Equipment** 

Eye Protection Manufacturing Sites:

Wear eye/face protection

Distribution, Workplace and Household Settings:

Requires Eye Protection

Hand Protection Manufacturing Sites:

Wear protective natural rubber, nitrile rubber, Neoprene™ or PVC gloves

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion

Distribution, Workplace and Household Settings:

Protective gloves

Skin and Body Protection Manufacturing Sites:

Wear protective gloves/clothing

Distribution, Workplace and Household Settings:

No special protective equipment required

Respiratory Protection Manufacturing Sites:

Do not breathe vapors, mist or gas

Distribution, Workplace and Household Settings:

No special protective equipment required

**Manufacturing Sites:** Hygiene measures

Wash hands thoroughly after handling

Distribution, Workplace and Household Settings: Do not eat, drink or smoke when using this product

Revision Date: 27-Mar-2015

## 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State @20°C liauid

**Appearance** yellow red gel Odor characteristic

**Odor threshold** No information available

Property Values Note

9.0 - 11.0 pH value

Melting/freezing point No information available Boiling point/boiling range > 95 °C / > 203 °F

Flash point 96 °C / 204.8 °F Closed cup

**Evaporation rate** No information available Flammability (solid, gas) No information available

Flammability Limits in Air

Upper flammability limit No information available **Lower Flammability Limit** No information available Vapor pressure No information available Vapor density No information available Relative density No information available Water solubility No information available Solubility in other solvents No information available Partition coefficient: n-octanol/waterNo information available **Autoignition temperature** No information available **Decomposition temperature** No information available

**Viscosity of Product** No information available

**VOC Content (%)** Products comply with US state and federal regulations for VOC content in consumer

products.

## 10. STABILITY AND REACTIVITY

Reactivity None under normal use conditions.

Stability Stable under normal conditions.

Hazardous polymerization Hazardous polymerization does not occur.

**Hazardous Reactions** None under normal processing.

**Conditions to Avoid** None under normal processing.

Materials to avoid None in particular.

Hazardous Decomposition Products None under normal use.

## 11. TOXICOLOGICAL INFORMATION

**Product Information** 

Information on likely routes of exposure

No known effect. Inhalation

Skin contact May cause burns. Repeated or prolonged skin contact may cause allergic reactions with

susceptible persons. Symptoms may be delayed.

Ingestion Harmful if swallowed. Eye contact Avoid contact with eyes.

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Acute toxicity** May be harmful if swallowed.

Skin corrosion/irritation Causes burns.

Serious eye damage/eye irritation Risk of serious damage to eyes.

May cause sensitization by skin contact. Skin sensitization

Respiratory sensitization No known effect. No known effect. Germ cell mutagenicity No known effect. **Neurological Effects** Reproductive toxicity No known effect. **Developmental toxicity** No known effect. **Teratogenicity** No known effect. STOT - single exposure No known effect. STOT - repeated exposure No known effect. **Target Organ Effects** No known effect. **Aspiration hazard** No known effect. Carcinogenicity No known effect.

## **Component Information**

Chemical Name	CAS-No	LD50 Oral	LD50 Dermal	LC50 Inhalation
Propylene glycol	57-55-6	22000 mg/kg (rat)	2000 mg/kg (rabbit)	-
Ammonia solution	1336-21-6	350 mg/kg (Rat)	-	-
Isopropanol	67-63-0	5840 mg/kg bw (Similar to OECD 401; standard acute method; rat)	13120 mg/kg bw (Similar to OECD 402; standard acute method; rabbit)	> 24.578732 mg/L air (Similar to OECD 403; standard acute method; rat; 6 h)
2-Aminoethanol	141-43-5	1089 mg/kg bw (Similar to OECD 401; standard acute method; rat)		-
3H-Pyrazol-3-one, 2,4-dihydro-5-methyl-2-phenyl-	89-25-8	1915 mg/kg (rat)	-	-

## 12. ECOLOGICAL INFORMATION

#### **Ecotoxicity**

Persistence and degradability No information available.

**Bioaccumulative** potential No information available.

No information available. **Mobility** 

Other adverse effects No information available.

## 13. DISPOSAL CONSIDERATIONS

## Waste treatment

Waste from Residues / Unused

**Products** 

Disposal should be in accordance with applicable regional, national and local laws and

Revision Date: 27-Mar-2015

regulations.

Contaminated packaging

Disposal should be in accordance with applicable regional, national and local laws and

regulations.

California Hazardous Waste Codes 331

(non-household setting)

## 14. TRANSPORT INFORMATION

# 96356487\_PROF\_NG - Clairol Professional Flare Permanent Cream (CRÈME PERMANENTE) Light Neutral Blonde

**DOT** Not regulated

Special Provisions (If shipped in NON BULK packaging by ground transport)

**IMDG** 

UN Number UN3082

**UN Proper shipping name** Environmentally hazardous substances, liquid, n.o.s.

**Description** UN3082, Environmentally hazardous substance, liquid, n.o.s. (Alcohols, C12-15,

ethoxylated, Ammonia ...%), 9, III, MARINE POLLUTANT, Ltd. Qty.

Revision Date: 27-Mar-2015

Transport hazard class(es) 9
Packing Group III
EmS-No F-A, S-F

IATA

UN no UN3082

**UN Proper shipping name** Environmentally hazardous substances, liquid, n.o.s.

**Description** UN3082, Environmentally hazardous substance, liquid, n.o.s. (Alcohols, C12-15,

ethoxylated, Ammonia ...%), 9, III, Ltd. Qty.

Hazard Class 9
Packing Group III
ERG Code 9L

IATA comment Can also be shipped as ID8000 Consumer Commodity

## 15. REGULATORY INFORMATION

#### U.S. Federal Regulations

#### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372:

Chemical Name	CAS-No	SARA 313 - Threshold Values %
Ammonia solution	1336-21-6	1.0
Isopropanol	67-63-0	1.0

#### **CERCLA**

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302):

	Chemical Name	CAS-No	Hazardous Substances RQs	Extremely Hazardous Substances RQs	CERCLA/SARA 302 TPQ
	Ammonia solution	1336-21-6	1000 lb	-	
Γ	Resorcinol	108-46-3	5000 lb	-	

#### Food and Drug Administration (FDA)

The product described in this Material Safety Data Sheet is regulated under the Federal Food, Drug, and Cosmetics Act and is safe to use as per directions on container, box or accompanying literature (where applicable)

#### Clean Air Act, Section 112 Hazardous Air Pollutants (HAPs) (see 40 CFR 61)

This product does not contain any substances regulated as hazardous air pollutants (HAPS) under Section 112 of the Clean Air Act Amendments of 1990.

#### **Clean Water Act**

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42):

Chemical Name	CAS-No	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Ammonia solution	1336-21-6	1000 lb	-	-	X
Resorcinol	108-46-3	5000 lb	-	-	X

#### **California Proposition 65**

This product is not subject to warning labeling under California Proposition 65.

#### U.S. State Regulations (RTK)

Chemical Name	CAS-No	New Jersey
Propylene glycol	57-55-6	X
Ammonia solution	1336-21-6	X
Isopropanol	67-63-0	X
2-Aminoethanol	141-43-5	X

Revision Date: 27-Mar-2015

Chemical Name	CAS-No	Massachusetts
Ammonia solution	1336-21-6	X
Isopropanol	67-63-0	X
2-Aminoethanol	141-43-5	Х

Chemical Name	CAS-No	Pennsylvania
9-Octadecenoic acid (9Z)-	112-80-1	X
Propylene glycol	57-55-6	X
Ammonia solution	1336-21-6	X
Isopropanol	67-63-0	X
2-Aminoethanol	141-43-5	X
Mica-group minerals	12001-26-2	X
Glycerin	56-81-5	X
Resorcinol	108-46-3	X
Titanium oxide (TiO2)	13463-67-7	X

Chemical Name	CAS-No	Rhode Island
Ammonia solution	1336-21-6	X

#### **International Inventories**

#### **United States**

Product is a personal care product and regulated under FDA.

#### Canada

This product is in compliance with CEPA for import by P&G.

## <u>Legend</u>

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

**CEPA** - Canadian Environmental Protection Act

Perfumes contained with the products comply with appropriate IFRA guidance.

## 16. OTHER INFORMATION

Issuing Date:27-Mar-2015Revision Date:27-Mar-2015Reason for revisionInitial Release.

#### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of SDS** 

Revision Date: 27-Mar-2015