SAFETY DATA SHEET



Issuing Date: 05-Mar-2015

Revision Date: 05-Mar-2015

Version 1.01

1. IDENTIFICATION

| Product Name | Wella Color Charm Liquid Permanent Colorant 4NW Medium Natural Warm Brown |
|---------------------|--|
| Product ID: | 98945434_PROF_NG |
| Product Type: | Finished Product - Professional Use Only |
| Recommended Use | Personal Beauty Care Product |
| Synonyms | Wella Color Charm Liquid Permanent Colorant Shade 4A / 237 Medium Ash Brown (98993613_PROF_NG) Wella Color Charm Liquid Permanent Colorant Shade 7NW Medium Natural Warm Brown (98992148_PROF_NG) |
| Manufacturer | The Procter & Gamble Company Sharon Woods Innovation Center 11510 Reed Hartman Highway Cincinnati OH 45241 +1 513 626-2500 |
| E-mail Address | pgsds.im@pg.com |
| Emergency Telephone | Transportation (24 HR) CHEMTREC - 1-800-424-9300 (U.S./ Canada) or 1-703-527-3887 Mexico toll free in country: 800-681-9531 |

2. HAZARD IDENTIFICATION

This product is classifed under 29CFR 1910.1200(d) and the Canadian Hazardous Products Regulation as follows:.

| Acute toxicity - Oral Skin corrosion/irritation Subcategory Eye Damage / Irritation Skin sensitization Flammable Liquids | Category 4 Category 1 Sub-category B Category 1 Category 1 Category 3 |
|---|--|
| Signal Word | DANGER |
| Hazard Statements | Harmful if swallowed Causes severe skin burns and eye damage May cause an allergic skin reaction FLAMMABLE LIQUID AND VAPOR |

Hazard pictograms

98945434_PROF_NG - Wella Color Charm Liquid Permanent Colorant 4NW Medium Natural Warm Brown

| Precautionary Statements - Prevention | Keep container tightly closed Keep away from heat/sparks/open flames/hot surfaces. — No smoking Wear protective gloves and protective clothing Wear eye/face protection Do not breathe dust/fume/gas/mist/vapors/spray Wash hands thoroughly after handling Avoid breathing dust/fume/gas/mist/vapors/spray IF SWALLOWED: rinse mouth. Do NOT induce vomiting |
|--|--|
| Precautionary Statements - Response | In case of fire: Use water, CO2, dry chemical, or foam for extinction IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing Immediately call a POISON CENTER or doctor/physician IF ON SKIN: Wash with plenty of soap and water If skin irritation or rash occurs: Get medical advice/attention |
| Precautionary Statements - Storage | None |
| Precautionary Statements - Disposal | None |
| Hazards not otherwise classified (HNOC) | None |

3. COMPOSITION/INFORMATION ON INGREDIENTS

Ingredients are listed according to 29CFR 1910.1200 Appendix D and the Canadian Hazardous Products Regulation

| Chemical Name | Synonyms | Trade Secret | CAS-No | Weight % |
|---|----------|--------------|-------------|-----------|
| Poly(oxy-1,2-ethanediyl), alpha-undecyl-omega-hydroxy-, branched and linear | - | No | 127036-24-2 | 20 - 25 |
| Isopropanol | - | No | 67-63-0 | 10 - 15 |
| Ammonia solution | - | No | 1336-21-6 | 5 - 10 |
| Propylene glycol | - | No | 57-55-6 | 1 - 5 |
| 2-Methyl-p-phenylenediamine hemisulphate | - | No | 615-50-9 | 1 - 5 |
| 2-Aminoethanol | - | No | 141-43-5 | 1 - 5 |
| 1,3-Benzenediol, 2-methyl- | - | No | 608-25-3 | 0.1 - 1.0 |

4. FIRST AID MEASURES

First aid measures for different exposure routes

 Eye contact
 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician. Rinse with plenty of water. Get medical attention immediately if irritation persists.

 Skin contact
 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. If symptoms persist, call a physician. IF ON SKIN: Wash with plenty of soap and water. If skin irritation or rash occurs: Get medical advice/attention. Get medical

| | attention immediately if symptoms occur. | |
|--|--|--|
| Ingestion | IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. Rinse mouth. Drink 1 or 2 glasses of water. Do NOT induce vomiting. Get medical attention immediately if symptoms occur. | |
| Inhalation | IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing. Immediately call a POISON CENTER or doctor/physician. | |
| Most important symptoms/effects, acute and delayed | Risk of serious damage to eyes. May cause burns. May cause sensitization by skin contact. | |
| Indication of immediate medical attention and special treatment needed, if necessary | | |

| Notes to Physician | Treat symptomatically. |
|---------------------|--------------------------|
| Notes to r nystelan | riout by inptornationly. |

5. FIRE-FIGHTING MEASURES

| Flammable properties | Flammable liquid and vapor |
|---|--|
| Suitable extinguishing media | Carbon dioxide (CO ₂). Dry chemical. Alcohol-resistant foam. |
| Unsuitable Extinguishing Media | Do not use a solid water stream as it may scatter and spread fire. |
| Special hazard | Fumes may catch fire. |
| Special protective equipment for fire-fighters | As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. |
| Specific hazards arising from the chemical | None. |

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

| Personal precautions | Wear protective gloves/clothing and eye/face protection. Do not get in eyes, on skin, or on clothing. | |
|---|---|--|
| Advice for emergency responders | Use personal protective equipment as required. | |
| Environmental precautions | Keep out of waterways. Do not discharge product into natural waters without pre-treatment or adequate dilution. | |
| Methods and materials for containment and cleaning up | | |
| Methods for containment | Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal. | |
| Methods for cleaning up | Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). | |

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling

Keep away from open flames, hot surfaces and sources of ignition. Keep container closed

98945434_PROF_NG - Wella Color Charm Liquid Permanent Colorant 4NW Medium Natural Warm Brown

when not in use. Never return spills in original containers for re-use. Use personal protective equipment as required. Keep out of the reach of children.

Conditions for safe storage, including any incompatibilities

| Technical measures/Storage conditions | Keep away from open flames, hot surfaces and sources of ignition. Store away from other materials. |
|---------------------------------------|---|
| Storage Conditions | Keep containers tightly closed in a dry, cool and well-ventilated place. Store in a cool/low-temperature, well-ventilated, dry place away from heat and ignition sources. |
| Incompatible products | None known. |

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines

| Chemical Name | CAS-No | ACGIH TLV | OSHA PEL | Mexico PEL |
|----------------|----------|---------------|--------------------------------------|-------------------------------------|
| Isopropanol | 67-63-0 | STEL: 400 ppm | TWA: 400 ppm | Mexico: TWA 400 ppm |
| | | TWA: 200 ppm | TWA: 980 mg/m ³ | Mexico: TWA 980 mg/m ³ |
| | | | (vacated) TWA: 400 ppm | Mexico: STEL 500 ppm |
| | | | | Mexico: STEL 1225 mg/m ³ |
| | | | (vacated) STEL: 500 ppm | |
| | | | (vacated) STEL: 1225 | |
| | | | mg/m ³ | |
| 2-Aminoethanol | 141-43-5 | STEL: 6 ppm | TWA: 3 ppm | Mexico: TWA 3 ppm |
| | | TWA: 3 ppm | TWA: 6 mg/m ³ | Mexico: TWA 8 mg/m ³ |
| | | | (vacated) TWA: 3 ppm | Mexico: STEL 6 ppm |
| | | | (vacated) TWA: 8 mg/m ³ | Mexico: STEL 15 mg/m ³ |
| | | | (vacated) STEL: 6 ppm | |
| | | | (vacated) STEL: 15 mg/m ³ | |

| Chemical Name | CAS-No | Alberta | Quebec | Ontario TWAEV | British Columbia |
|------------------|----------|-----------------------------|------------------------------|----------------------------|------------------|
| Isopropanol | 67-63-0 | TWA: 200 ppm | TWA: 400 ppm | TWA: 200 ppm | TWA: 200 ppm |
| | | TWA: 492 mg/m ³ | TWA: 985 mg/m ³ | STEL: 400 ppm | STEL: 400 ppm |
| | | STEL: 400 ppm | STEL: 500 ppm | | |
| | | STEL: 984 mg/m ³ | STEL: 1230 mg/m ³ | | |
| Propylene glycol | 57-55-6 | | | TWA: 10 mg/m ³ | |
| | | | | TWA: 50 ppm | |
| | | | | TWA: 155 mg/m ³ | |
| 2-Aminoethanol | 141-43-5 | TWA: 3 ppm | TWA: 3 ppm | TWA: 3 ppm | TWA: 3 ppm |
| | | TWA: 7.5 mg/m ³ | TWA: 7.5 mg/m ³ | STEL: 6 ppm | STEL: 6 ppm |
| | | STEL: 6 ppm | STEL: 6 ppm | | |
| | | STEL: 15 mg/m ³ | STEL: 15 mg/m ³ | | |

No relevant exposure guidelines for other ingredients

Exposure controls

Engineering Measures

Manufacturing Sites:

Ensure adequate ventilation

Distribution, Workplace and Household Settings:

Not applicable

Product Manufacturing Plant (needed at Product-Producing Plant ONLY): Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction

Personal Protective Equipment

Eye Protection

Manufacturing Sites: Wear eye/face protection Distribution, Workplace and Household Settings: Requires Eye Protection

| | Product Manufacturing Plant (needed at Product-Producing Plant ONLY): Use appropriate eye protection |
|--------------------------|--|
| Hand Protection | Manufacturing Sites: Wear protective natural rubber, nitrile rubber, Neoprene [™] or PVC gloves Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion Distribution, Workplace and Household Settings: Protective gloves Product Manufacturing Plant (needed at Product-Producing Plant ONLY): Protective gloves |
| Skin and Body Protection | Manufacturing Sites: Wear protective gloves/clothing Distribution, Workplace and Household Settings: No special protective equipment required |
| Respiratory Protection | Manufacturing Sites: Do not breathe vapors, mist or gas Distribution, Workplace and Household Settings: No special protective equipment required Product Manufacturing Plant (needed at Product-Producing Plant ONLY): In case of insufficient ventilation wear suitable respiratory equipment |
| Hygiene measures | Manufacturing Sites: Wash hands thoroughly after handling Distribution, Workplace and Household Settings: Do not eat, drink or smoke when using this product |

9. PHYSICAL AND CHEMICAL PROPERTIES

| | | - |
|--|--|--|
| Physical State @20°C Appearance Odor Odor threshold | liquid clear yellow liquid ammoniacal, Perfume No information available | |
| Property | Values | Note |
| pH value | 9.00 - 12.00 | |
| Melting/freezing point | No information available | |
| Boiling point/boiling range | No information available | |
| Flash point | 23 °C / 73.4 °F | |
| Evaporation rate | No information available | |
| Flammability (solid, gas) | No information available | |
| Flammability Limits in Air | | |
| Upper flammability limit | No information available | |
| Lower Flammability Limit | No information available | |
| Vapor pressure | No information available | |
| Vapor density | No information available | |
| Relative density | 0.99-1.01 | |
| Water solubility | Slightly insoluble | |
| Solubility in other solvents | No information available | |
| Partition coefficient: n-octanol/wate | erNo information available | |
| Autoignition temperature | No information available | |
| Decomposition temperature | No information available | |
| Viscosity of Product | No information available | |
| VOC Content (%) | Products comply with US state and federal r products. | egulations for VOC content in consumer |

10. STABILITY AND REACTIVITY

| Reactivity | None under normal use conditions. |
|--------------------------|---|
| Stability | Stable under normal conditions. |
| Hazardous polymerization | Hazardous polymerization does not occur. |
| Hazardous Reactions | None under normal processing. |
| Conditions to Avoid | Keep away from open flames, hot surfaces and sources of ignition. |
| Materials to avoid | None in particular. |
| | |

Hazardous Decomposition Products None under normal use.

11. TOXICOLOGICAL INFORMATION

<u>Product Information</u> Information on likely routes of exposure

| Inhalation | No known effect. |
|--------------|---|
| Skin contact | May cause burns. Repeated or prolonged skin contact may cause allergic reactions with susceptible persons. Symptoms may be delayed. |
| Ingestion | Harmful if swallowed. |
| Eye contact | Avoid contact with eyes. |

Delayed and immediate effects as well as chronic effects from short and long-term exposure

| Acute toxicity Skin corrosion/irritation | May be harmful if swallowed. Causes burns. |
|---|---|
| Serious eye damage/eye irritation | Risk of serious damage to eyes. |
| Skin sensitization | May cause sensitization by skin contact. |
| Respiratory sensitization | No known effect. |
| Germ cell mutagenicity | No known effect. |
| Neurological Effects | No known effect. |
| Reproductive toxicity | No known effect. |
| Developmental toxicity | No known effect. |
| Teratogenicity | No known effect. |
| STOT - single exposure | No known effect. |
| STOT - repeated exposure | No known effect. |
| Target Organ Effects | No known effect. |
| Aspiration hazard | No known effect. |
| Carcinogenicity | No known effect. |

Component Information

| Chemical Name | CAS-No | LD50 Oral | LD50 Dermal | LC50 Inhalation |
|---|-----------|---|---|--|
| Isopropanol | 67-63-0 | 5840 mg/kg bw (Similar to OECD 401; standard acute method; rat) | 13120 mg/kg bw (Similar to OECD 402; standard acute method; rabbit) | > 24.578732 mg/L air (Similar to OECD 403; standard acute method; rat; 6 h) |
| Ammonia solution | 1336-21-6 | 350 mg/kg (Rat) | - | - |
| Propylene glycol | 57-55-6 | 22000 mg/kg (rat) | 2000 mg/kg (rabbit) | > 317.042 mg/L (Guideline not indicated; rabbit; 2 h) |
| 2-Methyl-p-phenylenediamine hemisulphate | 615-50-9 | 102 mg/kg bw (Read across data on 2-methyl-1,4-benzenediam ine; similar to OECD 401; standard acute method; rat) | 1120 mg/kg (rabbit) | - |
| 2-Aminoethanol | 141-43-5 | 1089 mg/kg bw (Similar to OECD 401; standard acute method; rat) | 1000 mg/kg (rabbit) | - |
| 1,3-Benzenediol, 2-methyl- | 608-25-3 | 200 - 219 mg/kg (rat) | - | - |

12. ECOLOGICAL INFORMATION

Ecotoxicity

The product is not expected to be hazardous to the environment.

| Persistence and degradability | No information available. |
|-------------------------------|---------------------------|
| Bioaccumulative potential | No information available. |
| Mobility | No information available. |
| Other adverse effects | No information available. |

13. DISPOSAL CONSIDERATIONS

Waste treatment

| Waste from Residues / Unused Products | Disposal should be in accordance with applicable regional, national and local laws and regulations. |
|---|---|
| Contaminated packaging | Disposal should be in accordance with applicable regional, national and local laws and regulations. |
| California Hazardous Waste Codes (non-household setting) | 331 |
| Disposal recommendations | Products covered by this MSDS, in their original form, when disposed from a commercial facility as waste, are ignitable hazardous waste, D001, according to Federal RCRA regulations(40 CFR 261). Disposal should be in accordance with Local, State and Federal regulations. |

14. TRANSPORT INFORMATION

| DOT UN no UN Proper shipping name Description Hazard Class Packing Group Marine pollutant Emergency Response Guide Number | UN1993 Flammable liquids, n.o.s. UN1993, Flammable liquid, n.o.s (Propan-2-ol, Hexyl acetate), 3, III, , MARINE POLLUTANT, Ltd. Qty. , Ltd. Qty. 3 III This product contains a chemical which is listed as a marine pollutant according to DOT. 128 |
|---|--|
| IMDG | UN1993 |
| UN Number | Flammable liquid, n.o.s. |
| UN Proper shipping name | UN1993, Flammable liquid, n.o.s (Propan-2-ol, Hexyl acetate), 3, III, (23°C c.c.), MARINE |
| Description | POLLUTANT, Ltd. Qty., Ltd. Qty. |
| Transport hazard class(es) | 3 |
| Packing Group | III |
| EmS-No | F-E, S-E |
| IATA_ | UN1993 |
| UN no | Flammable liquid, n.o.s. |
| UN Proper shipping name | UN1993, Flammable liquid, n.o.s (Propan-2-ol, Hexyl acetate), 3, III, MARINE |
| Description | POLLUTANT, Ltd. Qty., Ltd. Qty. |
| Hazard Class | 3 |
| Packing Group | III |

ERG Code IATA comment

3L Can also be shipped as ID8000 Consumer Commodity

15. REGULATORY INFORMATION

U.S. Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372:

| Chemical Name | CAS-No SARA 313 - Thresho | |
|------------------|---------------------------|-----|
| Isopropanol | 67-63-0 | 1.0 |
| Ammonia solution | 1336-21-6 | 1.0 |

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302):

| Chemical Name | CAS-No | Hazardous Substances RQs | Extremely Hazardous Substances RQs | CERCLA/SARA 302 TPQ |
|------------------|-----------|-----------------------------|---------------------------------------|------------------------|
| Ammonia solution | 1336-21-6 | 1000 lb | - | |
| Resorcinol | 108-46-3 | 5000 lb | - | |

Food and Drug Administration (FDA)

The product described in this Material Safety Data Sheet is regulated under the Federal Food, Drug, and Cosmetics Act and is safe to use as per directions on container, box or accompanying literature (where applicable)

Clean Air Act, Section 112 Hazardous Air Pollutants (HAPs) (see 40 CFR 61)

This product contains the following substance(s) which are either listed as hazardous air pollutants (HAPS) or VOC's per the Clean Air Act:

| Chemical Name | CAS-No | CAA (Clean Air Act) - 1990 Hazardous Air Pollutants | |
|----------------------------|----------|--|--|
| 2-Phenoxyethyl isobutyrate | 103-60-6 | Х | |

Clean Water Act

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42):

| Chemical Name | CAS-No | CWA - Reportable Quantities | CWA - Toxic Pollutants | CWA - Priority Pollutants | CWA - Hazardous Substances |
|------------------|-----------|--------------------------------|---------------------------|------------------------------|-------------------------------|
| Ammonia solution | 1336-21-6 | 1000 lb | - | - | Х |
| Resorcinol | 108-46-3 | 5000 lb | - | - | Х |

California Proposition 65

This product is not subject to warning labeling under California Proposition 65.

U.S. State Regulations (RTK)

| Chemical Name | CAS-No | New Jersey |
|------------------|-----------|------------|
| Isopropanol | 67-63-0 | Х |
| Ammonia solution | 1336-21-6 | Х |
| Propylene glycol | 57-55-6 | Х |
| 2-Aminoethanol | 141-43-5 | Х |

| Chemical Name | CAS-No | Massachusetts |
|------------------|-----------|---------------|
| Isopropanol | 67-63-0 | Х |
| Ammonia solution | 1336-21-6 | Х |
| 2-Aminoethanol | 141-43-5 | Х |

98945434_PROF_NG - Wella Color Charm Liquid Permanent Colorant 4NW Medium Natural Warm Brown

| Chemical Name | CAS-No | Pennsylvania |
|----------------------------|-----------|--------------|
| 9-Octadecenoic acid (9Z)- | 112-80-1 | X |
| Isopropanol | 67-63-0 | X |
| Ammonia solution | 1336-21-6 | X |
| Propylene glycol | 57-55-6 | X |
| 2-Aminoethanol | 141-43-5 | X |
| Resorcinol | 108-46-3 | Х |
| 2-Phenoxyethyl isobutyrate | 103-60-6 | X |

| Chemical Name | CAS-No | Rhode Island |
|------------------|-----------|--------------|
| Ammonia solution | 1336-21-6 | Х |

International Inventories

United States

Product is a personal care product and regulated under FDA.

Canada

This product is in compliance with CEPA for import by P&G.

Legend

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory **CEPA** - Canadian Environmental Protection Act

Perfumes contained with the products comply with appropriate IFRA guidance.

16. OTHER INFORMATION

| Issuing Date: | 05-Mar-2015 |
|---------------------|------------------|
| Revision Date: | 05-Mar-2015 |
| Reason for revision | Initial Release. |

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of SDS